



Strips Multi-sensor +Drip for LoRaWAN

Meet the ultra-slim multi-sensor with water leak alarm for LoRaWAN

Strips MS +Drip is an innovative **ultra-thin (3mm/0.12in)** and wireless multi-sensor for LoRaWAN with water leak detection, developed for smart IoT applications such as building monitoring and operations. MS +Drip is excellent at detecting any water leakage and its slim and sturdy design makes it perfect for mounting concealed in small spaces. With a **battery life of up to 10 years**, you can set it and forget it.

- Water-leak sensor
- Temperature alert sensor
- Ultra-thin (3mm/0.12in) design
- Up to 10-year battery lifetime
- Up to 10 km (6 miles) range
- Easy installation



DESCRIPTION

The innovative Strips MS +Drip sensor is an ultra-thin (6 mm) and wireless multi-sensor for LoRaWAN with excellent water leak detection capabilities. Designed for smart IoT applications, such as property monitoring and operations, its slim and sturdy design makes it perfect for concealed mounting in small spaces. The battery life of up to 10 years ensures you can set it and forget it.

In addition to detecting water leaks, the MS +Drip provides temperature data. This multifunctionality means that our sensors can provide more value to your company and its operations as you realize your needs. The main feature of the MS +Drip is to alert you in case of water leakage, and the temperature sensor can alert you if there, for instance, is a risk of freezing pipes. Furthermore, when integrated with a smart building system and other IoT devices, the MS +Drip can automatically turn on/off the water flow or sound an alarm to alert the user about a water leak.

BENEFITS:

- Blend-in design
- No maintenance (10 years)
- Long-range (10 km)
- Simple installation & mounting
- Low-lifecycle cost (multi-sensor, multi-purpose)

IMAGE GALLERY



SPECIFICATION

Application	
Application	Water leak detection
Benefits	
Benefits	Blend-in design, No maintenance (10 years), Long-range (10 km), Simple installation & mounting, Low-lifecycle cost (multi-purpose multi-sensor), Freeze alarm
In/Outdoor usage	indoor & sheltered outdoor
Features	
Sensor	Water leak, Temperature, Open/Close
Firmware update over the air (FOTA)	No
Connectivity data	
Frequency	EU868 - Europe 863-870 MHz or AS923 - Asia 915 - 928 MHz or US915 - US 902 - 928 MHz or AU915 - Australia 915 - 928 MHz or KR920 - South Korea 902 - 928 MHz or IN865 - India
Protocols / Connectivity	LoRaWAN
LoRaWAN version	V 1.0.4
LoRaWAN class	Class A
Antenna	Integrated
Sensor data	
Temperature accuracy	± 1 °C/ 1.8 °F @ 0-30 °C/32-86°F
Sensor type	Magnetic contact
Power supply	
Powered by	Battery, Built-in battery (LiMnO2), 1,4 Wh (480 mA @ 3V), Non rechargeable battery
Operating Conditions	
Operating temperature (max)	+60°C
Operating temperature (min)	-20°C
IP Class	67
Mechanical data	
Width (mm)	15
Height (mm)	6
More information	
Manual URL	https://public.yggio.net/docs/strips/multi-sensor/#strips-ms-drip
Battery calculator	https://sensative.com/sensors/strips-lora-sensors/sensative-strips-lora-battery-calculator/
Payload decoder	https://sensative.com/sensors/strips-lora-sensors/sensative-strips-lora-ms-resource-center/

Specifications are subject to change without prior notice in the interest of continuous product improvement. [Contact](#) your Sensative sales representative for the latest specifications or if you find an error in this product sheet.

PATENTED

Sensitive Strips are protected by one or more of the following patents:

Elongated wireless sensor assembly

Sweden: SE 537 509

Europe: 3053152

EP 3 670 811 B1

USA: 9,953,496

USA: 10,720,033

USA: 11,170,617

PRODUCT SPECIFICATIONS; DISCLAIMER OF WARRANTIES.

All Products specifications, illustrations, drawings, images, particulars, dimensions, performance data, and other information in this document or made available by us are intended to represent no more than a general illustration of the product and its features. They do not constitute a warranty or representation by us that the product will conform with the same. Products that are shipped to you may vary from these images or specifications. PRODUCTS ARE PROVIDED WITHOUT ANY WARRANTIES OR SUPPORT OF ANY KIND, WHETHER ORAL OR WRITTEN, EXPRESS OR IMPLIED, INCLUDING ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT, AND NO OTHER REPRESENTATIONS OR CLAIMS OF ANY KIND WILL BE BINDING ON OR OBLIGATE US. PRODUCTS ARE EXPRESSLY PROVIDED TO YOU "AS IS." WE DO NOT AND WILL NOT PROVIDE ANY TECHNICAL OR CUSTOMER SUPPORT FOR PRODUCTS WHATSOEVER. IF ANY TECHNICAL SUPPORT OR ASSISTANCE IS PROVIDED WITH RESPECT TO PRODUCTS AND THE USE THEREOF, IT IS PROVIDED "AS IS", WITHOUT WARRANTIES, REPRESENTATIONS, OR CONDITIONS OF ANY KIND, EXPRESS OR IMPLIED. WE DO NOT WARRANT THAT THE USE OR OPERATION OF PRODUCTS WILL BE UNINTERRUPTED OR ERROR FREE. YOU BEAR ALL RISKS RELATING TO THE USE OF PRODUCTS AND THE QUALITY AND PERFORMANCE OF PRODUCTS AND ASSUME THE ENTIRE COST OF ALL NECESSARY SERVICING, REPAIR, OR CORRECTION EXCEPT AS EXPRESSLY SET FORTH AS PART OF THE EXCHANGE POLICY. THESE TERMS STATE YOUR SOLE AND EXCLUSIVE REMEDIES. SOME JURISDICTIONS DO NOT ALLOW FOR THE DISCLAIMER OR LIMITATION OF WARRANTIES, SO THE ABOVE DISCLAIMER OR LIMITATION MAY NOT APPLY TO YOU.